

Diabetic Medicine

Journal of Diabetes UK

Contents Volume 21, 2004

January 2004 Number 1

Editorial

- 1 Inhibition of the renin-angiotensin system: added value in reducing cardiovascular and renal risk? *S. M. Marshall*

Review article

- 4 Diabetic renal disease: from recent studies to improved clinical practice *C. E. Mogensen, M. E. Cooper*

Original articles

- 18 Angiotensin receptor blockers as anti-hypertensive treatment for patients with diabetes mellitus: meta-analysis of controlled double-blind randomized trials *A. Siebenhofer, J. Plank, K. Horvath, A. Berghold, A. J. Sutton, R. Sommer, T. R. Pieber*
- 26 The long-term renal and retinal outcome of childhood-onset Type 1 diabetes *J. N. Harvey, B. Allagoa*
- 32 Specialist general practitioners and diabetes clinics in primary care: a qualitative and descriptive evaluation *A. Nocon, P. J. Rhodes, J. P. Wright, J. Eastham, D. R. R. Williams, S. R. Harrison, R. J. Young*
- 39 Association between fasting glucose and C-reactive protein in middle-aged subjects *D. Aronson, P. Bartha, O. Zinder, A. Kerner, E. Shitman, W. Markiewicz, G. J. Brook, Y. Levy*
- 45 Diabetes-related inequalities in health status and financial barriers to health care access in a population-based study *M. C. Gulliford, D. Mahabir, B. Roche*
- 52 The Metabolic Syndrome is an independent predictor of cardiovascular disease in Type 2 diabetic subjects. Prospective data from the Verona Diabetes Complications Study *E. Bonora, G. Targher, G. Formentini, F. Calcaterra, S. Lombardi, F. Marini, L. Zenari, F. Saggiani, M. Poli, S. Perbellini, A. Raffaelli, L. Gemma, L. Santi, R. C. Bonadonna, M. Muggeo*
- 59 Insulin sensitivity in physically fit and unfit children of parents with Type 2 diabetes *C. W. Ahn, Y. D. Song, J. H. Nam, D. M. Kim, S. O. Woo, S. W. Park, B. S. Cha, S. K. Lim, K. R. Kim, J. H. Lee, H. C. Lee, K. B. Huh*
- 64 The concentrations of short-chain fatty acids and other microflora-associated characteristics in faeces from children with newly diagnosed Type 1 diabetes and control children and their family members *U. Samuelsson, J. Ludvigsson*
- 68 Gestational diabetes affects platelet behaviour through modified oxidative radical metabolism *L. Mazzanti, L. Nanetti, A. Vignini, R. A. Rabini, G. Grechi, N. Cester, C. M. Curzi, A. L. Tranquilli*
- 73 Nine weeks of bedtime diazoxide is well tolerated and improves β -cell function in subjects with Type 2 diabetes *E. Qvigstad, M. Kollind, V. Grill*

- 77 Type 2 diabetes in Tirana City, Albania: a rapid increase in a country in transition *L. Shapo, M. McKee, R. Coker, A. Ylli*

- 84 Automated detection of diabetic retinopathy in digital retinal images: a tool for diabetic retinopathy screening *D. Usher, M. Dumskyj, M. Himaga, T. H. Williamson, S. Nussey, J. Boyce*

Clinical practice

- 91 Regional differences in risk factors and clinical presentation of diabetic foot lesions *S. Morbach, J. K. Lutale, V. Viswanathan, J. Möllenberg, H. R. Ochs, S. Rajashekar, A. Ramachandran, Z. G. Abbas*

Case report

- 96 Sudden hearing loss as a first complication of long-standing Type 1 diabetes mellitus: a case report *W. Gawron, L. Pospiech, A. Noczynska, E. Koziorowska*

Meeting report

- 99 The 21st meeting of the Anglo-Danish-Dutch Diabetes Group (ADDDG) *P. J. M. van Gurp, F. Holleman*

- 101 DM Diary

February 2004 Number 2

Review article

- 103 Epidemiology of gestational diabetes mellitus and its association with Type 2 diabetes *A. Ben-Haroush, Y. Yogeve, M. Hod*

Original articles

- 114 Treatment of symptomatic diabetic polyneuropathy with the antioxidant α -lipoic acid: a meta-analysis *D. Ziegler, H. Nowak, P. Kempler, P. Vargha, P. A. Low*
- 122 Tale of two churches: differential impact of a church-based diabetes control programme among Pacific Islands people in New Zealand *D. Simmons, J. A. Voyle, F. Fou, S. Feo, L. Leakehe*
- 129 Facilitating access to glucometer reagents increases blood glucose self-monitoring frequency and improves glycaemic control: a prospective study in insulin-treated diabetic patients *B. L. G. Nyomba, L. Berard, L. J. Murphy*
- 136 Comparison of pioglitazone and metformin efficacy using homeostasis model assessment *S. Nagasaka, Y. Aiso, K. Yoshizawa, S. Ishibashi*
- 142 Comparison of a high-carbohydrate and a high-monounsaturated fat, olive oil-rich diet on the susceptibility of LDL to oxidative modification in subjects with Type 2 diabetes mellitus *C. Rodríguez-Villar, A. Pérez-Heras, I. Mercadé, E. Casals, E. Ros*

- 150 Clinical inertia in the management of Type 2 diabetes metabolic risk factors R. W. Grant, E. Cagliero, A. K. Dubey, C. Gildesgame, H. C. Chueh, M. J. Barry, D. E. Singer, D. M. Nathan, J. B. Meigs
- 156 Isolation of enterovirus strains from children with preclinical Type 1 diabetes K. K. Salminen, T. Vuorinen, S. Oikarinen, M. Helminen, S. Simell, M. Knip, J. Ilonen, O. Simell, H. Hyöty
- 165 Trends in diabetes management practices of patients from an Australian insulin-treated diabetes register M. M. Sale, K. Hazelwood, P. Z. Zimmet, J. E. Shaw, J. M. Stankovich, T. M. Greenaway, T. Dwyer
- 171 The post-prandial state in Type 2 diabetes and endothelial dysfunction: effects of insulin aspart A. Ceriello, A. Cavarape, L. Martinelli, R. Da Ros, G. Marra, L. Quagliaro, L. Piconi, R. Assaloni, E. Motz
- 176 Effects of acute hyperglycaemia on anorectal motor and sensory function in diabetes mellitus A. Russo, R. Botten, M.-F. Kong, I. M. Chapman, R. J. L. Fraser, M. Horowitz, W.-M. Sun
- 183 Hospital outcome of acute myocardial infarction in patients with and without diabetes mellitus W. Otter, S. Kleybrink, W. Doering, E. Standl, O. Schnell
- Epidemiology**
- 188 Association between smoking, insulin resistance and β -cell function in a North-western First Nation M. Daniel, M. D. Cargo
- Letters**
- 194 Hypoglycaemia unawareness implicated: the value of patient self-reporting Jenny Hirst
- 194 Merformin-induced encephalopathy without lactic acidosis T. Vander, H. Halleve, G. Ifergane, Y. O. Herishanu
- 195 High-frequency gastric stimulation in a patient with diabetic gastroparesis D. J. Patterson, R. C. Thirlby, M. A. Sobrino
- 196 Two cases of hyperglycemic chorea in diabetic patients M. Higa, Y. Kaneko, T. Inokuchi
- Book review**
- 199 Oxford Handbook of Endocrinology and Diabetes Dr C. Rajeswaran, Dr S. G. Gilbert
- 200 Erratum
- 201 DM Diary
- factors for diabetes-related complications D. Simmons, G. D. Gamble, S. Foote, D. R. Cole, G. Coster
- 218 Evidence for linkage on chromosome 4p16.1 in Type 1 diabetes Danish families and complete mutation scanning of the WFS1 (Wolframin) gene Z. M. Larsen, J. Johannesen, O. P. Kristiansen, J. Nerup, F. Pociot, The Danish IDDM Epidemiology and Genetics Group, The Danish Study Group of IDDM in Childhood
- 223 Carotid haemodynamic parameters as risk factors for cerebral infarction in Type 2 diabetic patients T. Nakatou, K. Nakata, A. Nakamura, T. Itoshima
- 230 Influence of alcohol on cognitive performance during mild hypoglycaemia; implications for Type 1 diabetes E. H. Cheyne, R. S. Sherwin, M. J. Lunt, D. A. Cavan, P. W. Thomas, D. Kerr
- 238 Coronary heart disease risk assessment in diabetes mellitus: comparison of UKPDS risk engine with Framingham risk assessment function and its clinical implications S. H. Song, P. M. Brown
- 246 Paternal phenotype is associated with microalbuminuria in young adults with Type 1 diabetes mellitus of short duration C. J. Schultz, R. N. Dalton, M. Selwood, D. B. Dunger, H. A. W. Neil on behalf of the Oxford Regional Prospective Study Group
- 252 Aggregation of features of the metabolic syndrome is associated with increased prevalence of chronic complications in Type 2 diabetes L. A. Costa, L. H. Canani, H. R. K. Lisboa, G. S. Tres, J. L. Gross
- 256 Zinc and nitrate in the ground water and the incidence of Type 1 diabetes in Finland E. Moltchanova, M. Rytönen, A. Kousa, O. Taskinen, J. Tuomilehto and M. Karvonen for the Spat Study Group, the Finnish Childhood Diabetes Registry Group
- 262 Higher carotid-radial pulse wave velocity in healthy offspring of patients with Type 2 diabetes O. D. McEleavy, R. W. McCallum, J. R. Petrie, M. Small, J. M. C. Connell, N. Sattar, S. J. Cleland
- 267 Evidence for a Type 1 diabetes-specific mechanism for the insulin gene-associated IDDM2 locus rather than a general influence on autoimmunity K. F. Tait, J. E. Collins, J. M. Heward, I. Eaves, H. Snook, J. A. Franklyn, A. H. Barnett, J. A. Todd, M. Maranian, A. Compston, S. Sawcer, S. C. L. Gough
- 271 Coverage in screening for diabetic retinopathy according to screening provision: results from a national survey in England and Wales A. Wilson, R. Baker, J. Thompson, G. Grimshaw
- 279 Preprandial vs. postprandial insulin lispro—a comparative crossover trial in patients with Type 1 diabetes G. Scherthaner, W. Wein, N. Shnawa, P. C. Bates, M. A. Birkett
- 285 The effects of smoking and its cessation on 8-epi-PGF $_{2\alpha}$ and transforming growth factor- β 1 in Type 1 diabetes mellitus L. Flores, M. Vidal, J. Abian, A. Cases, J. Ma. Campistol, J. Clària, S. Lario, E. Esmatjes
- Clinical practice**
- 290 Diagnostic delays of adult patients admitted to hospital with diabetic ketoacidosis A. M. Dissanayake, G. Gamble, J. R. Baker, L. Reed
- Case report**
- 292 No nephropathy in Type 2 diabetic patient with POEMS syndrome with an elevated plasma VEGF T. Baba, R. Østerby, S. Neugebauer-Baba, Y. Nozawa, T. Watanabe, K. Sakurai, T. Katoh, T. Watanabe

March 2004 Number 3

Review article

- 203 Type 2 diabetes mellitus: a disease of the innate immune system? An update M. Crook

Special report

- 208 What does postprandial hyperglycaemia mean? R. J. Heine, B. Balkau, A. Ceriello, S. Del Prato, E. S. Horton, M.-R. Taskinen

Original articles

- 214 The New Zealand Diabetes Passport Study: a randomized controlled trial of the impact of a diabetes passport on risk

Short report

- 295 Street drug use among young patients with Type 1 diabetes in the UK R. S. H. Ng, D. A. Darko, R. M. Hillson

Letters

- 297 Postprandial hypoglycaemia due to insulin lispro M. Fujiwara, T. Baba, S. Neugebauer, K. Hasegawa, E. Hosoya, K. Tanaka, K. Shimada, D. Yamada, T. Watanabe
- 298 Maintaining glycaemic control during high-dose prednisolone administration for hyperemesis gravidarum in Type 1 diabetes U. K. Dashora, R. Taylor
- 299 Haematocrit in metabolic syndrome G. Caimi, D. Sinagra, A. M. Scarpitta, A. Catania, R. Lo Presti
- 300 Modulating effects of olanzapine on the development of diabetic ketoacidosis N. Tsuchiyama, H. Ando, T. Ota, M. Sakurai, T. Takamura
- 302 DM Diary

April 2004 Number 4

Editorial

- 303 Impaired fasting glycaemia vs. impaired glucose tolerance: two sides of the same coin with implications for cardiovascular risk H. S. Lim, G. Y. H. Lip

Original articles

- 305 Prognostic value of admission plasma glucose and HbA_{1c} in acute myocardial infarction S. Hadjadj, D. Coisne, G. Mauco, S. Ragot, F. Duengler, P. Sosner, F. Torremocha, D. Herpin, R. Marechaud
- 311 Effects of glycaemic control on cardiovascular disease in diabetic American Indians: the Strong Heart Study W. Q. Lu, H. E. Resnick, K. A. Jablonski, A. K. Jain, K. L. Jones, D. C. Robbins, B. V. Howard
- 318 Evaluating the performance of the Framingham risk equations in a population with diabetes P. McEwan, J. E. Williams, J. D. Griffiths, A. Bagust, J. R. Peters, P. Hopkinson, C. J. Currie
- 324 Psychological impact of childhood islet autoantibody testing in families participating in the BABYDIAB study M. Hummel, A. G. Ziegler, R. Roth
- 329 Combination therapy for Type 2 diabetes: repaglinide plus rosiglitazone P. Raskin, J. McGill, M. F. Saad, J. M. Cappelman, W. Kaye, N. Khutoryansky, P. M. Hale for the Repaglinide/Rosiglitazone Study Group
- 336 C-reactive protein and risk factors for peripheral vascular disease in subjects with Type 2 diabetes mellitus H.-I. Yu, W. H.-H. Sheu, Y.-M. Song, H.-C. Liu, W.-J. Lee, Y.-T. Chen
- 342 Detecting silent coronary stenoses and stratifying cardiac risk in patients with diabetes: ECG stress test or exercise myocardial scintigraphy? E. Cosson, F. Paycha, J. Paries, S. Cattani, A. Ramadan, D. Meddah, J.-R. Attali, P. Valensi
- 349 The associations of body mass index, C-peptide and metabolic status in Chinese Type 2 diabetic patients W. B. Chan, P. C. Y. Tong, C. C. Chow, W. Y. So, M. C. Y. Ng, R. C. W. Ma, R. Osaki, C. S. Cockram, J. C. N. Chan
- 354 A novel per-oral insulin formulation: proof of concept study in non-diabetic subjects M. Kidron, S. Dinh, Y. Menachem, R. Abbas, B. Variano, M. Goldberg, E. Arbit, H. Bar-On

- 358 Clustering of autoimmune disease in parents of siblings from the Type 1 diabetes Warren repository K. F. Tait, T. Marshall, J. Berman, J. Carr-Smith, B. Rowe, J. A. Todd, S. C. Bain, A. H. Barnett, S. C. L. Gough

Epidemiology

- 363 Impaired fasting glycaemia resembles impaired glucose tolerance with regard to cardiovascular risk factors: population-based, cross-sectional study of risk factors for cardiovascular disease P. E. Heldgaard, N. de F. Olivarius, C. Hindsberger, J. E. Henriksen
- 371 Prevalence and risk factors for diabetes in Ho Chi Minh City, Vietnam L. E. N. T. Duc Son, K. Kusama, N. T. K. Hung, T. T. H. Loan, N. Van Chuyen, D. Kunii, T. Sakai, S. Yamamoto

Case reports

- 377 Unreliable estimation of HbA_{1c} due to the presence of Camperdown haemoglobin [β 104 (G6) Arg \rightarrow Ser] R. Castelli, A. Tempesta, A. Bianchi, T. Porro, G. Ivaldi, M. D. Cappellini
- 380 Severe hypertriglyceridaemia in diabetic ketoacidosis: clinical and genetic study C. Karagianni, S. Stabouli, K. Roumeliotou, J. Traeger-Synodinos, E. Kavazarakis, D. Gourgoutis, J. Lambrou, E. Kanavakis

Short reports

- 383 WHO and ATPIII proposals for the definition of the metabolic syndrome in patients with Type 2 diabetes G. Marchesini, G. Forlani, F. Cerrelli, R. Manini, S. Natale, L. Baraldi, G. Ermini, G. Savorani, D. Zocchi, N. Melchionda
- 388 Hypoadiponectinaemia in South Asian women during pregnancy: evidence of ethnic variation in adiponectin concentration R. Retnakaran, A. J. G. Hanley, N. Raif, P. W. Connelly, M. Sermer, B. Zimman

Letters

- 393 VDR gene polymorphism at exon 2 start codon (FokI) may have influenced Type 1 diabetes mellitus susceptibility in two Spanish populations L. Audí, G. Martí, C. Esteban, M. Oyarzabal, M. Chueca, M. Gussinyé, D. Yeste, M. Fernández-Cancio, P. Andaluz, A. Carrascosa
- 394 Diabetic peripheral neuropathy and spinal stenosis: prevalence of overlap and misdiagnosis. An introductory report S. M. Goldman
- 396 Increased forefoot to rearfoot plantar pressure ratio in South Indian patients with diabetic foot ulceration V. Viswanathan, M. Sivagami, R. Seenaa, C. Snehalatha, A. Ramachandran, A. Veves
- 397 Pertussis infections, vaccines and Type 1 diabetes J. B. Classen
- 398 Reply S. M. Montgomery

Book review

- 400 Textbook of Diabetic Neuropathy P. Kempler
- 402 DM Diary

May 2004 Number 5

Review article

- 403 Prevention of Type 2 diabetes mellitus. A review of the evidence and its application in a UK setting M. J. Davies, J. R. Tringham, J. Troughton, K. K. Khunti

Original articles

- 415 Rosiglitazone improves insulin sensitivity, glucose tolerance and ambulatory blood pressure in subjects with impaired glucose tolerance S. M. A. Bennett, A. Agrawal, H. Elasha, M. Heise, N. P. Jones, M. Walker, J. P. H. Wilding
- 423 Smoking is associated with reduced serum levels of the antioxidant enzyme, paraoxonase, in Type 2 diabetic patients M. Boemi, C. Sirolla, R. Testa, S. Cenerelli, P. Fumelli, R. W. James
- 428 Acute, local effects of iontophoresed insulin and C-peptide on cutaneous microvascular function in Type 1 diabetes mellitus C. Delaney, J. Shaw, T. Day
- 434 A double-blind study comparing 0.5% and 1% tropicamide for annual retinal screening in diabetic adolescents J. Hassler-Hurst, C. Wadham, G. Rayman
- 440 Alanine infusion during hypoglycaemia partly supports cognitive performance in healthy human subjects M. L. Evans, D. Hopkins, I. A. Macdonald, S. A. Amiel
- 447 Normal weight promotes remission and low number of islet antibodies prolong the duration of remission in Type 1 diabetes A. Schölin, C. Törn, L. Nyström, C. Berne, H. Arnqvist, G. Blohmé, J. Bolinder, J. W. Eriksson, I. Kockum, M. Landin-Olsson, J. Östman, F. A. Karlsson, G. Sundkvist, E. Björk
- 456 A clinically orientated approach increases the efficiency of screening for latent autoimmune diabetes in adults (LADA) in a large clinic-based cohort of patients with diabetes onset over 50 years L. Monge, G. Bruno, S. Pinach, G. Grassi, G. Maghenzani, F. Dani, G. Pagano
- 460 Cost-effectiveness of flexible intensive insulin management to enable dietary freedom in people with Type 1 diabetes in the UK A. Shearer, A. Bagust, D. Sanderson, S. Heller, S. Roberts
- 468 What is the relative contribution of blood glucose levels at different time points of the day to HbA_{1c} in Type 1 diabetes? N. Hillman, L. Herranz, C. Grande, P. M. Vaquero, L. F. Pallardo
- 471 The effect of spironolactone, cilazapril and their combination on albuminuria in patients with hypertension and diabetic nephropathy is independent of blood pressure reduction: a randomized controlled study R. Rachmani, I. Slavachevsky, M. Amit, Z. Levi, Y. Kedar, M. Berla, M. Ravid

Epidemiology

- 476 Haematocrit and risk of development of Type 2 diabetes mellitus in middle-aged Japanese men N. Nakanishi, K. Suzuki, K. Tataru

Short reports

- 483 Albuminuria in Afro-Caribbeans with Type 2 diabetes mellitus: is the sickle cell trait a risk factor? J. M. Oli, P. J. Watkins, B. Wild, O. J. Adegoke
- 487 Assessment of hypoglycaemia awareness using continuous glucose monitoring T. Kubiak, N. Hermanns, H. J. Schreckling, B. Kulzer, T. Haak
- 491 Long-term effects of self-management education for patients with Type 2 diabetes taking maximal oral hypoglycaemic therapy: a randomized trial in primary care A. N. Goudswaard, R. P. Stolk, N. P. A. Zuihof, H. W. de Valk, G. E. H. M. Rutten

Letters

- 497 A new cause of neuroglycopenia: 'missing the point' M. Al-Mrayat, Y. Samarasinghe, H. Trembl, N. Munro, K. Shotliff, C. McIntosh, M. D. Feher

- 497 Plasma resistin, leptin and adiponectin levels in non-diabetic and diabetic obese subjects J. V. Silha, M. Krsek, J. Skrha, P. Sucharda, B. L. G. Nyomba, L. J. Murphy
- 499 Can the method of glycosylated haemoglobin assay affect results of such long-term studies? A. M. George, C. W. Bodmer, J. M. Aitken
- 500 Reduced postprandial glycaemic excursion with biphasic insulin Aspart 30 injected immediately before a meal C. Kapitza, K. Rave, K. Ostrowski, T. Heise, L. Heinemann
- 502 DM Diary

June 2004 Number 6

Editorial

- 503 A piece of nucleic acid surrounded by controversy: coxsackievirus and the causes of Type 1 diabetes E. A. M. Gale, M. Atkinson

Review articles

- 507 Coxsackie B virus serology and Type 1 diabetes mellitus: a systematic review of published case-control studies J. Green, D. Casabonne, R. Newton
- 515 Schizophrenia, the metabolic syndrome and diabetes R. I. G. Holt, R. C. Peveler, C. D. Byrne

Original articles

- 524 Left ventricular dysfunction in normotensive Type 1 diabetic patients: the impact of autonomic neuropathy M. Taskiran, V. Rasmussen, B. Rasmussen, T. Fritz-Hansen, H. B. W. Larsson, G. B. Jensen, J. Hilsted
- 531 Childhood diabetes: parents' experience of home management and the first year following diagnosis L. Lowes, P. Lyne, J. W. Gregory
- 539 Decreased stiffness at the ankle joint in patients with long-term Type 1 diabetes J. F. Nielsen, H. Andersen, T. Sinkjaer
- 545 Plasma and urinary vascular endothelial growth factor and diabetic nephropathy in Type 2 diabetes mellitus N. H. Kim, K. B. Kim, D. L. Kim, S. G. Kim, K. M. Choi, S. H. Baik, D. S. Choi, Y. S. Kang, S. Y. Han, K. H. Han, Y. H. Ji, D. R. Cha
- 552 Vascular endothelium and inflammatory process, in patients with combined Type 2 diabetes mellitus and coronary atherosclerosis: the effects of vitamin C C. Antoniadis, D. Tousoulis, C. Tountas, C. Tentolouris, M. Toutouza, C. Vasiliadou, C. Tsioufis, P. Toutouzas, C. Stefanadis
- 559 Development and progression of diabetic retinopathy in patients with Type 1 diabetes who are positive for GAD autoantibody T. Mimura, H. Funatsu, Y. Uchigata, S. Kitano, E. Shimizu, H. Noma, S. Amano, M. Araie, Y. Iwamoto, S. Hori
- 563 The value of the Rydel-Seiffer tuning fork as a predictor of diabetic polyneuropathy compared with a neurothesiometer T. Kästenbauer, S. Sauseng, H. Brath, H. Abrahamian, K. Irsigler
- 568 An increase in insulin sensitivity and basal beta-cell function in diabetic subjects treated with pioglitazone in a placebo-controlled randomized study T. M. Wallace, J. C. Levy, D. R. Matthews
- 577 Effects of diabetes on plasma nitrotyrosine levels X. L. Wang, D. L. Rainwater, A. Leone, M. C. Mahaney

- 581 Strong association of C-reactive protein with body mass index and 2-h post-challenge glucose in non-diabetic, non-smoker subjects without hypertension K. Hashimoto, S. Kasayama, H. Yamamoto, S. Kurebayashi, I. Kawase, M. Koga
- 586 Patients and nurses determine variation in adherence to guidelines at Dutch hospitals more than internists or settings R. F. Dijkstra, J. C. C. Braspennig, Z. Huijsmans, S. Peters, E. van Ballegoie, P. ten Have, A. F. Casparie, R. P. T. M. Grol
- 592 Improving glycaemic control of patients with Type 2 diabetes in a primary care setting: a French application of the Staged Diabetes Management programme M. Varroud-Vial, D. Simon, J. Attali, I. Durand-Zaleski, L. Bera, C. Attali, C. Letondeur, K. Strauss, C. Petit, G. Charpentier
- 599 Educational outreach in diabetes to encourage practice nurses to use primary care hypertension and hyperlipidaemia guidelines (EDEN): a randomized controlled trial J. P. New, J. M. Mason, N. Freemantle, S. Teasdale, L. Wong, N. J. Bruce, J. A. Burns, J. M. Gibson
- 604 An assessment of the adequacy of suspension of insulin in pen injectors A. Brown, J. M. Steel, C. Duncan, A. Duncan, A. M. McBain

Epidemiology

- 609 Diabetes mellitus as a risk factor for primary open-angle glaucoma: a meta-analysis S. Bonovas, V. Peponis, K. Filioussi
- 615 Increased levels of triglycerides, BMI and blood pressure and low physical activity increase the risk of diabetes in Swedish women. A prospective 18-year follow-up of the BEDA study A. Dotevall, S. Johansson, L. Wilhelmsen, A. Rosengren

Case reports

- 623 Acute brain injury in hypoglycaemia-induced hemiplegia H. Shirayama, Y. Ohshiro, Y. Kinjo, S. Taira, I. Teruya, K. Nakachi, M. Tawata, N. Takasu
- 625 The advantages and disadvantages of a 'herbal' medicine in a patient with diabetes mellitus: a case report D. M. Wood, S. Athwal, A. Panabloo
- 628 Familial hyperinsulinaemia associated with epilepsy and mental retardation—a syndrome of familial insulin resistance I. Idris, D. Miller, S. R. Page

Short reports

- 632 Evaluation of a local optometric diabetic retinopathy screening service T. J. Warburton, P. J. Hale, J. A. Dewhurst
- 636 Post-challenge hyperglycaemia is an independent risk factor for arterial stiffness in Japanese men K. Ohshita, K. Yamane, K. Ishida, H. Watanabe, M. Okubo, N. Kohno
- 640 Changes in prevalence and site of care of diabetes in a health district 1991–2001 D. L. Whitford, S. H. Roberts
- 644 ROMEO: rethink organization to improve education and outcomes M. Porta, M. Trento on behalf of the ROMEO Writing Committee

Letters

- 646 Access to dietetic services in the UK P. H. Winocour, K. Shaw, R. G. Greenwood
- 646 Effectiveness of a new brand of stock 'diabetic' shoes to protect against diabetic foot ulcer relapse. A prospective cohort study D. R. Miller, S. Enoch, M. Blow, K. G. Harding, P. E. Price

- 647 Reply E. Chantelau
- 648 Fasting plasma glucose values alone miss most abnormalities of glucose tolerance in the postpartum A. McElduff, R. Hitchman
- 648 Reply R. I. G. Holt, M. A. G. Coleman
- 649 Preventing Type 2 diabetes: an evolutionary view R. Baschetti
- 650 Reply P. Zimmet, J. Shaw, K. G. M. M. Alberti
- 651 Screening for diabetic retinopathy—false positives do occur (it could be Shagreen) K. Shottliff, D. Moore, J. Dimock, M. D. Feber
- 652 Erratum
- 653 DM Diary

July 2004 Number 7

Editorial

- 655 Time to move beyond glycosylated haemoglobin R. I. G. Holt, I. Gallen

Review articles

- 657 Diabetes control and complications: the role of glycated haemoglobin, 25 years on S. L. Jeffcoate
- 666 Medical management of diabetic retinopathy A. K. Sjolie, F. Moller

Meeting report

- 673 Introduction of IFCC reference method for calibration of HbA_{1c}: implications for clinical care S. Manley, W. G. John, S. Marshall

Original articles

- 677 Nutrient intakes; biochemical and risk indices associated with Type 2 diabetes and glycosylated haemoglobin, in the British National Diet and Nutrition Survey of people aged 65 years and over C. J. Bates, M. E. J. Lean, M. A. Mansoor, A. Prentice
- 685 Variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care M. Gulliford, R. Latinovic
- 691 Conventional measures underestimate glycaemia in cystic fibrosis patients L. Dobson, C. D. Sheldon, A. T. Hattersley
- 697 Angiopoietic factors and retinopathy in pregnancies complicated with Type 1 diabetes S. Loukovaara, I. Immonen, R. Koistinen, J. Rudge, K. A. Teramo, L. Laatikainen, V. Hiilesmaa, R. J. Kaaja
- 705 Swab cultures accurately identify bacterial pathogens in diabetic foot wounds not involving bone R. A. Slater, T. Lazarovitch, I. Boldur, Y. Ramot, A. Buchs, M. Weiss, A. Hindi, M. J. Rapoport
- 710 Diabetic foot ulcer and multidrug-resistant organisms: risk factors and impact A. Hartemann-Heurtier, J. Robert, S. Jacqueminet, G. Ha Van, J. L. Golmard, V. Jarlier, A. Grimaldi
- 716 Ethnic differences and determinants of diabetes and central obesity among South Asians of Pakistan T. H. Jafar, A. S. Levey, F. M. White, A. Gul, S. Jessani, A. Q. Khan, F. H. Jafary, C. H. Schmid, N. Chaturvedi
- 724 Independent association of uric acid levels with peripheral arterial disease in Taiwanese patients with Type 2 diabetes C.-H. Tseng

- 730 Impaired fasting glucose vs. glucose intolerance in pre-menopausal women: distinct metabolic entities and cardiovascular disease risk? M. E. Piché, J. P. Després, A. Pascot, A. Nadeau, A. Tremblay, S. J. Weisnagel, J. Bergeron, S. Lemieux
- 738 The prevalence of coronary heart disease in Type 2 diabetic patients in Italy: the DAI study The DAI Study Group
- 746 Vascular dysfunction and autonomic neuropathy in Type 2 diabetes C. Meyer, F. Milat, B. P. McGrath, J. Cameron, D. Kotsopoulos, H. J. Teede
- 752 The insulin receptor substrate-1 Gly972Arg polymorphism is not associated with Type 2 diabetes mellitus in two population-based studies R. M. van Dam, B. Hoebee, J. C. Seidell, M. M. Schaap, E. E. Blaak, E. J. M. Feskens
- 759 Is human Type 2 diabetes maternally inherited? Insights from an animal model R. J. Gill-Randall, D. Adams, R. L. Ollerton, J. C. Alcolado
- 763 Inhaled micronized crystalline human insulin using a dry powder inhaler: dose-response and time-action profiles K. Rave, L. Nosek, L. Heinemann, C. Gonzales, C. S. Ernest, J. Chien, D. Muchmore
- 769 Hypoglycaemia with insulin aspart: a double-blind, randomised, crossover trial in subjects with Type 1 diabetes S. R. Heller, S. Colagiuri, S. Vaaler, B. H. R. Wolfenbuttel, K. Koelendorf, H. H. Friberg, K. Windfeld, A. Lindholm
- 776 The adiponectin gene SNP445 is associated with coronary artery disease in Type 2 (non-insulin-dependent) diabetes mellitus C. Lacquemant, P. Froguel, S. Lobbens, P. Izzo, C. Dina, J. Ruiz
- 782 Evaluation of a bedside blood ketone sensor: the effects of acidosis, hyperglycaemia and acetoacetate on sensor performance A. S. A. Khan, J. A. Talbot, K. L. Tieszen, E. A. Gardener, J. M. Gibson, J. P. New

Short reports

- 786 A new autologous keratinocyte dressing treatment for non-healing diabetic neuropathic foot ulcers M. Moustafa, C. Simpson, M. Glover, R. A. Dawson, S. Tesfaye, F. M. Creagh, D. Haddow, R. Short, S. Heller, S. MacNeil
- 790 Comparison of survival following coronary artery bypass grafting vs. percutaneous coronary intervention in diabetic and non-diabetic patients: retrospective cohort study of 6320 procedures J. P. Pell, A. C. H. Pell, R. R. Jeffrey, K. Jennings, K. Oldroyd, H. Eteiba, K. J. Hogg, A. Murday, A. Faichney, I. Colquhoun, G. Berg, I. R. Starkey, A. Flapan, P. Mankad
- 793 Functional status before and after diagnosis of Type 2 diabetes G. A. Nichols, J. B. Brown
- 798 Elevated iron indices in patients with diabetes M. C. Thomas, R. J. MacIsaac, C. Tsalamandris, George Jerums

Letters

- 803 The vitamin D receptor gene variant and physical activity predicts fasting blood glucose levels in healthy young men B. J. Boucher, G. A. Hitman
- 803 Reply J. R. Ortлеpp, J. Metrikat, R. Hoffmann
- 804 Glycaemic control and the increase in pulse wave velocity (PWV) in Type 2 diabetic patients H. Shimizu, K. Shimmura, M. Negishi, S. Oh-I, Y. Tomita, Y. Uehara, M. Mori
- 805 Prevalence of the metabolic syndrome in hypertensive and/or obese subjects G. Jermendy, K. Hetýési, L. Bíró, T. Hidvégi
- 807 Erratum
- 808 DM Diary

August 2004 Number 8

Editorial

- 809 The proper management of diabetic foot ulcers: time for a paradigm shift W. Jeffcoate

Review article

- 810 C-reactive protein, its role in inflammation, Type 2 diabetes and cardiovascular disease, and the effects of insulin-sensitizing treatment with thiazolidinediones R. Nesto

Original articles

- 818 Transforming growth factor β_1 at clinical onset of Type 1 diabetes mellitus. A pilot study L. Flores, S. Näf, R. Hernández, I. Conget, R. Gomis, E. Esmatjes
- 823 Sex-differences in prevalence of electrocardiographic left ventricular hypertrophy in Type 2 diabetes: The Casale Monferrato Study G. Bruno, S. Giunti, G. Bargerio, S. Ferrero, G. Pagano, P. Cavallo Perin
- 829 Metformin, pre-eclampsia, and pregnancy outcomes in women with polycystic ovary syndrome C. J. Glueck, S. Bornovoli, J. Pranikoff, N. Goldenberg, S. Dharashivkar, P. Wang
- 837 Paraoxonase 1 ¹⁹²Gln/Arg polymorphism is associated with the risk of microangiopathy in Type 2 diabetes mellitus M. Murata, T. Maruyama, Y. Suzuki, T. Saruta, Y. Ikeda
- 845 Mortality of South Asian patients with insulin-treated diabetes mellitus in the United Kingdom: a cohort study A. J. Sverdlow, S. P. Laing, I. dos Santos Silva, S. D. Slater, A. C. Burden, J. L. Botha, N. R. Waugh, A. D. Morris, W. Gatling, P. J. Bingley, C. C. Patterson, Z. Qiao, H. Keen
- 852 A 14-year prospective study of autonomic nerve function in Type 1 diabetic patients: association with nephropathy A. Forsén, M. Kangro, G. Sterner, K. Norrgren, O. Thorsson, P. Wollmer, G. Sundkvist
- 859 Sustained effects of pioglitazone vs. glibenclamide on insulin sensitivity, glycaemic control, and lipid profiles in patients with Type 2 diabetes M. H. Tan, D. Johns, J. Strand, J. Halse, S. Madsbad, J. W. Eriksson, J. Clausen, C. S. Konkoy, M. Herz for the GLAC Study Group
- 867 Association of aldose reductase gene Z+2 polymorphism with reduced susceptibility to diabetic nephropathy in Caucasian Type 1 diabetic patients M. Lajer, L. Tarnow, J. Fleckner, B. V. Hansen, D. G. Edwards, H-H. Parving, E. Boel
- 874 Targeted screening for undiagnosed diabetes reduces the number of diagnostic tests. Inter99(8) C. Glümer, T. Jørgensen, K. Borch-Johnsen
- 881 Impact of adiposity and plasma adipocytokines on diabetic angiopathies in Japanese Type 2 diabetic subjects M. Matsuda, F. Kawasaki, K. Yamada, Y. Kanda, M. Saito, M. Eto, M. Matsuki, K. Kaku
- 889 Effects of cardiac rehabilitation on exercise capacity in Type 2 diabetic patients with coronary artery disease B. Vergès, B. Patois-Vergès, M. Cohen, B. Lucas, C. Galland-Jos, J. M. Casillas
- 896 Initiation of glucose-lowering therapy in Type 2 diabetes mellitus patients in general practice J. A. Spoelstra, R. P. Stolk, O. H. Klungel, J. A. Erkens, G. E. H. M. Rutten, H. G. M. Leufkens, D. E. Grobbee
- 901 Baseline characteristics in the Collaborative AtoRvastatin Diabetes Study (CARDS) in patients with Type 2 diabetes M. J. Thomason, H. M. Colhoun,

S. J. Livingstone, M. I. Mackness, D. J. Betteridge,
P. N. Durrington, G. A. Hitman, H. A. W. Neil,
J. H. Fuller, the CARDS Investigators

Epidemiology

- 906 The metabolic syndrome and coronary heart disease in older women: findings from the British Women's Heart and Health Study D. A. Lawlor, S. Ebrahim, G. Davey Smith
- 914 Evaluating risk factors associated with severe hypoglycaemia in epidemiology studies—what method should we use? M. K. Bulsara, C. D. J. Holman, E. A. Davis, T. W. Jones

Clinical practice

- 920 Clinical characteristics and outcomes of diabetic ketoacidosis in Pakistani adults with Type 2 diabetes mellitus A. Jabbar, K. Farooqui, A. Habib, N. Islam, N. Haque, J. Akhter

Case report

- 924 Amelanotic malignant melanoma disguised as a diabetic foot ulcer C. L. Gregson, T. J. Allain

Short reports

- 928 Serum amino acids in patients with mutations in the hepatocyte nuclear factor-1 alpha gene A. Stride, E. R. Pearson, A. Brown, K. Gooding, H. A. J. Castleden, A. T. Hattersley
- 931 Reduced forearm reactive hyperaemia in normoalbuminuric subjects with Type 1 diabetes and retinopathy J. Gibney, B. Turner, U. Weis, D. R. Meeking, J. Cansfield, G. F. Watts, K. M. Shaw, M. H. Cummings
- 936 Trends in mortality rates for death-certificate-coded diabetes mellitus in an English population 1979–99 M. J. Goldacre, M. E. Duncan, P. Cook-Mozaffari, H. A. W. Neil
- 940 Electrical stimulation therapy through stocking electrodes for painful diabetic neuropathy: a double blind, controlled crossover study S. O. Oyibo, K. Breislin, A. J. M. Boulton
- 945 Thiazolidinediones and congestive heart failure—exacerbation or new onset of left ventricular dysfunction? P. M. Srivastava, P. Calafiore, R. J. MacIsaac, D. L. Hare, G. Jerums, L. M. Burrell

Letters

- 951 Nutritional factors and diabetic foot: a role for vitamin E? V. Rigalleau, M. Barbe, F. Garuz, L. Baillet-Blanco, M. C. Beauvieux, H. Gin
- 952 Genotype in human CD36 deficiency and diabetes mellitus M. Furubashi, N. Ura, T. Nakata, T. Tanaka, K. Shimamoto
- 953 Post-prandial administration of insulin lispro with a high fat meal minimizes risk of hypoglycaemia in Type 1 diabetes V. McAulay, S. C. Ferguson, B. M. Frier
- 955 The statistical analysis of cardiovascular risks A. D. Tsakok
- 956 Autoantibodies against GAD65 and IA-2 in recently diagnosed Type 1 diabetic children from Western India A. R. Marita, S. Rane, R. A. Mokul, S. R. Nair, A. Irani

Book review

- 958 Management of Type II Diabetes in Primary Care: A Practical Guide P. Tasker
- 959 DM Diar

September 2004 Number 9

Editorial

- 961 Competing Interests S. Heller

Original articles

- 962 Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin A. Yee, S. R. Majumdar, S. H. Simpson, F. A. McAlister, R. T. Tsuyuki, J. A. Johnson
- 968 Effect of acute hyperglycaemia on sodium handling and excretion of nitric oxide metabolites, bradykinin, and cGMP in Type 1 diabetes mellitus R. Šimková, L. Kazdová, L. Karasová, S. Šimek, T. Pelikánová
- 976 Chronic painful peripheral neuropathy in an urban community: a controlled comparison of people with and without diabetes C. Daousi, I. A. MacFarlane, A. Woodward, T. J. Nurmikko, P. E. Bundred, S. J. Benbow
- 983 A single dose of nateglinide improves post-challenge glucose metabolism and endothelial dysfunction in Type 2 diabetic patients M. Shimabukuro, N. Higa, N. Takasu, T. Tagawa, S. Ueda
- 987 Validation of a system of foot ulcer classification in diabetes mellitus K. A. Treece, R. M. Macfarlane, N. Pound, F. L. Game, W. J. Jeffcoate
- 992 No substantial psychological impact of the diagnosis of Type 2 diabetes following targeted population screening: The Hoorn Screening Study M. C. Adriaanse, F. J. Snoek, J. M. Dekker, A. M. W. Spijkerman, G. Nijpels, J. W. R. Twisk, H. M. van der Ploeg, R. J. Heine
- 999 Structured treatment and teaching of patients with Type 2 diabetes mellitus and impaired cognitive function—the DICOE trial A. Braun, U. A. Muller, R. Muller, K. Leppert, R. Schiel
- 1007 Metabolic, immunological and clinical characteristics in newly diagnosed Asian diabetes patients aged 12–40 years C. Y. Pan, W. Y. So, B. A. K. Khalid, V. Mohan, A. C. Thai, P. Zimmet, C. S. Cockram, L. N. Jorgensen, J. P. Yeo, The ASDIAB Study Group
- 1014 Hypoglycaemia and driving in people with insulin-treated diabetes: adherence to recommendations for avoidance A. J. Graveling, R. E. Warren, B. M. Frier
- 1020 HMG-CoA reductase inhibitors prevent bone loss in patients with Type 2 diabetes mellitus A. Nakashima, R. Nakashima, T. Ito, T. Masaki, N. Yorioka
- 1025 The effect of diabetes on heart rate and other determinants of myocardial oxygen demand in acute coronary syndromes K. Foo, N. Sekbri, C. Knight, A. Deaner, J. Cooper, K. Ranjadayalan, A. Suliman, A. D. Timmis
- 1032 Diabetes mellitus in itself is not a risk factor for antibiotic resistance in *Escherichia coli* isolated from patients with bacteriuria R. Meiland, S. E. Geerlings, A. J. De Neeling, A. I. M. Hoepelman

Epidemiology

- 1035 Type 1 diabetes mellitus in childhood: a matched case control study in Lancashire and Cumbria, UK A. L. Marshall, A. Chetwynd, J. A. Morris, M. Placzek, C. Smith, A. Olabi, D. Thistlethwaite

Case report

- 1041 The number of unexpected HbA_{1c} variants may be a greater problem in routine practice than is generally realized T. M. Reynolds, P. J. Twomey, T. C. Harvey, B. N. Green

Short reports

- 1045 'Urine testing is a waste of time': newly diagnosed Type 2 diabetes patients' perceptions of self-monitoring J. Lawton, E. Peel, M. Douglas, O. Parry
- 1049 A case of secondary diabetes mellitus with acromegaly improved by pioglitazone A. Watanabe, F. Komine, K. Nirei, K. Tamura, K. Nabe, N. Aiba, S. Kamoshida, M. Otsuka, H. Okubo, M. Kanou, S. Sawada, T. Uchiyama, S. Nakamura, Y. Arakawa

Letters

- 1051 Methylenetetrahydrofolate reductase gene polymorphism is not related to diabetic nephropathy in Japanese Type 2 diabetic patients K. Yoshioka, T. Yoshida, T. Umekawa, A. Kogure, Y. Takakura, H. Toda, T. Yoshikawa
- 1052 Metabolic targets achieved in elderly diabetic patients attending a secondary care annual review diabetic clinic M. M. Teh, A. P. Brooks, J. S. W. Li Voon Chong
- 1053 Nitroglycerin spray rapidly improves pain in a patient with chronic painful diabetic neuropathy M. Higa, N. Takasu, T. Tamaoka, K. Nakamura, M. Shimabukuro, T. Sasara, M. Tawata
- 1054 Growth in Type 1 diabetic children R. Luna, E. Fluiters, I. Rodriguez, R. V. Garcia-Mayor
- 1056 Evaluation of an information tool for diabetic patient education A. V. Ciardullo, G. Fattori, G. Carrozzi, M. M. Dagbio
- 1057 A review of basal insulins E. Chantelau
- 1058 Reply A. H. Barnett
- 1059 DM Diary

October 2004 Number 10**Editorials**

- 1061 A clinical research network in diabetes for the UK S. Heller, A. L. Kimmonth
- 1064 The metabolic syndrome—is one global definition possible? M. E. Jorgensen, K. Borch-Johnsen

Special report

- 1066 A pilot quality assurance scheme for diabetic retinopathy risk reduction programmes L. Garvican, P. H. Scanlon

Original articles

- 1075 Health-related quality of life in the first year following diagnosis of Type 2 diabetes: newly diagnosed patients in general practice compared with screening-detected patients. The Hoorn Screening Study M. C. Adriaanse, J. M. Dekker, A. M. W. Spijkerman, J. W. R. Twisk, G. Nijpels, H. M. van der Ploeg, R. J. Heine, F. J. Snoek
- 1082 The combination oral and nutritional treatment of late-onset diabetes mellitus (CONTROL DM) trial results D. M. Reboussin, D. C. Göff Jr, E. W. Lipkin, D. M. Herrington, J. Summerson, M. Steffes, R. J. Crouse III, L. Jovanovic, M. N. Feinglos, J. L. Probstfield, M. A. Banerji, D. J. Pettitt, J. Williamson

- 1090 Exaggerated insulin secretion in Pima Indians and African-Americans but higher insulin resistance in Pima Indians compared to African-Americans and Caucasians N. Stefan, M. Stumvoll, C. Weyer, C. Bogardus, P. A. Tataranni, R. E. Pratley
- 1096 Risk factors for development of impaired renal function in Type 2 diabetes mellitus patients in primary care M. J. Naushahi, W. J. C. de Grauw, A. J. Avery, W. H. E. M. van Gerwen, E. H. van de Lisdonk, C. van Weel
- 1102 The effects of high glucose and atorvastatin on endothelial cell matrix production S. McGinn, P. Poronnik, E. D. M. Gallery, C. A. Pollock
- 1108 Treatment gap in the use of lipid-lowering drug therapy in diabetes: a population-based study P. James, H. H. Tan, R. MacAlpine, G. Brennan, A. Emslie-Smith, A. D. Morris on behalf of the DARTS/MEMO Collaboration
- 1113 Polymorphisms in the 5'-upstream region of the PKC β gene in Japanese patients with Type 2 diabetes Y. Ikeda, T. Suehiro, F. Osaki, S. Tsuzura, Y. Kumon, K. Hashimoto
- 1121 Feasibility of using the TOSCA telescreening procedures for diabetic retinopathy S. Luzio, S. Hatcher, G. Zahlmann, L. Mazik, M. Morgan, B. Liesenfeld, T. Bek, H. Schuell, S. Schneider, D. R. Owens, E. Kohner
- 1129 The association of coronary calcium score and conventional cardiovascular risk factors in Type 2 diabetic subjects asymptomatic for coronary heart disease (The PREDICT Study) R. S. Elkeles, M. D. Feber, M. D. Flather, I. F. Godsland, F. Nugara, W. Richmond, M. B. Rubens, D. Wang for the PREDICT Study Group
- 1135 Release of endothelium-associated proteins into blood by injection of heparin in normal subjects and in patients with Type 1 diabetes B. Myrup, H. Yokoyama, O. P. Kristiansen, P. B. Østergaard, T. Olivecrona
- 1141 Prevalence and clinical characteristics of metabolic syndrome in a rural population of South Korea E. S. Kim, S.-M. Han, Y. I. Kim, K.-H. Song, M.-S. Kim, W. B. Kim, J.-Y. Park, K.-U. Lee

Clinical practice

- 1144 Presentation and course of Type 2 diabetes in youth in a large multi-ethnic city V. Zdravkovic, D. Daneman, J. Hamilton
- 1149 IRIS II study: the IRIS II score—assessment of a new clinical algorithm for the classification of insulin resistance in patients with Type 2 diabetes T. Forst, E. Standl, C. Hoberg, T. Konrad, J. Schulze, H. J. Strotmann, G. Liibben, S. Pabler, A. Bachinger, M. Langenfeld, A. Pfützner

Letters

- 1154 Prevalence of the metabolic syndrome among South Korean adults: the Ansan study J. Song, E. Kim, C. Shin, S.-S. Kim, H. K. Lee, M. Jung, S.-C. Jung, S. A. Jo, I. Jo
- 1155 Diabetic ketoacidosis presenting in a patient with Addison's disease A. P. Coll, S. Thomas
- 1156 A case of fulminant Type 1 diabetes associated with mexiletine hypersensitivity syndrome Y. Seino, M. Yamauchi, C. Hirai, A. Okumura, K. Kondo, M. Yamamoto, Y. Okazaki
- 1158 Adiponectin gene polymorphism (G276T) and diabetic retinopathy in Japanese patients with Type 2 diabetes K. Yoshioka, T. Yoshida, Y. Takakura, T. Umekawa, A. Kogure, H. Toda, T. Yoshikawa
- 1160 DM Diary

November 2004 Number 11

Review article

- 1161 New and experimental approaches to treatment of diabetic foot ulcers: a comprehensive review of emerging treatment strategies R. Eldor, I. Raz, A. Ben Yehuda, A. J. M. Boulton

Original articles

- 1174 Does autonomic neuropathy play a role in erythropoietin regulation in non-proteinuric Type 2 diabetic patients? V. Spallone, M. R. Maiello, N. Kurukulasuriya, A. Barini, M. Lovecchio, R. Tartaglione, G. Mennuni, G. Menzinger
- 1181 Diurnal blood glucose profiles in women with gestational diabetes with or without hypertension A. Leinonen, V. Hilesmaa, H. Andersen, K. Teramo, R. Kaaja
- 1185 A prospective study of Type 2 diabetes and depressive symptoms in the elderly: The Rancho Bernardo Study L. A. Palinkas, P. P. Lee, E. Barrett-Connor
- 1192 Long-term renoprotection by perindopril or nifedipine in non-hypertensive patients with Type 2 diabetes and microalbuminuria G. Jerums, T. J. Allen, D. J. Campbell, M. E. Cooper, R. E. Gilbert, J. J. Hammond, R. C. O'Brien, J. Raffaele, C. Tsalamandris on behalf of The Melbourne Diabetic Nephropathy Study Group
- 1200 Pre-prandial vs. post-prandial capillary glucose measurements as targets for repaglinide dose titration in people with diet-treated or metformin-treated Type 2 diabetes: a randomized controlled clinical trial H. C. Gerstein, J. Garon, C. Joyce, A. Rolfe, C. M. Walter
- 1204 Amylin replacement with pramlintide as an adjunct to insulin therapy improves long-term glycaemic and weight control in Type 1 diabetes mellitus: a 1-year, randomized controlled trial R. E. Ratner, R. Dickey, M. Fineman, D. G. Maggs, L. Shen, S. A. Strobel, C. Weyer, O. G. Kolterman
- 1213 Better long-term glycaemic control with the basal insulin glargine as compared with NPH in patients with Type 1 diabetes mellitus given meal-time lispro insulin F. Porcellati, P. Rossetti, S. Pampanelli, C. G. Fanelli, E. Torlone, L. Scionti, G. Perriello, G. B. Bolli
- 1221 Sustainability and effectiveness of comprehensive diabetes care to a district population D. L. Whitford, S. H. Roberts, S. Griffin
- 1229 Economic evaluation of therapeutic interventions to prevent Type 2 diabetes in Canada J. J. Caro, D. Getsios, I. Caro, W. S. Klittich, J. A. O'Brien

Epidemiology

- 1237 Prevalence of the metabolic syndrome among the Inuit in Greenland. A comparison between two proposed definitions M. E. Jorgensen, P. Bjerregaard, F. Gyntelberg, K. Borch-Johnsen and the Greenland Population Study

Clinical practice

- 1243 Mortality in patients with diabetic neuropathic osteoarthropathy (Charcot foot) A. Gazis, N. Pound, R. Macfarlane, K. Treece, F. Game, W. Jeffcoate

Case report

- 1247 Isolation of *Bordetella trematum* from a diabetic leg ulcer F. Daxboeck, E. Goerzer, P. Apfalter, M. Nehr, R. Krause

Short reports

- 1249 The preventive anti-oxidant action of thiazolidinediones: a new therapeutic prospect in diabetes and insulin resistance R. Da Ros, R. Assaloni, A. Ceriello
- 1253 Effects of improved glycaemic control maintained for 3 months on cognitive function in patients with Type 2 diabetes M. Mussell, W. Hewer, B. Kulzer, K. Bergis, F. Rist

Letters

- 1257 High risk of diabetes and metabolic syndrome in Indian women with gestational diabetes mellitus S. D. Kale, C. S. Yajnik, S. R. Kulkarni, K. Meenakumari, A. A. Joglekar, N. Khorsand, R. S. Ladkat, L. V. Ramdas, H. G. Lubree
- 1258 A case of primary antiphospholipid syndrome and Type 2 diabetes mellitus with large artery thromboses successfully treated by abdominal stent implantation C. S. Kim, D. M. Kim, J. S. Park, J. Y. Nam, C. W. Ahn, B. S. Cha, S. K. Lim, K. R. Kim, H. C. Lee
- 1260 DM Diary

December 2004 Number 12

Editorial

- 1261 Thoughts of a departing Editor S. Heller

Review article

- 1263 Persistent poor glycaemic control in adult Type 1 diabetes. A closer look at the problem J. H. DeVries, F. J. Snoek, R. J. Heine

Original articles

- 1269 Intravenous drug abuse and Type 1 diabetes: financial and healthcare implications S. A. Saunders, J. Democratis, J. Martin, I. A. Macfarlane
- 1274 Effects of a structured health education programme by a diabetic education nurse on cardiovascular risk factors in Chinese Type 2 diabetic patients: a 1-year prospective randomized study G. T. C. Ko, J. K. Y. Li, E. C. Y. Kan, M. K. W. Lo
- 1280 Enhancement of insulin-stimulated myocardial glucose uptake in patients with Type 2 diabetes treated with rosiglitazone K. Hallsten, K. A. Virtanen, F. Lönnqvist, T. Janatuinen, M. Turiceanu, T. Rönömaa, J. Viikari, T. Lehtimäki, J. Knuuti, P. Nuutila
- 1288 Feasibility of a quality assurance programme of bedside blood glucose testing in a hospital setting: 7 years' experience F. Nobels, F. Beckers, E. Bailleul, P. De Schrijver, L. Sierens, P. Van Crombrugge
- 1292 Aqueous levels of macrophage migration inhibitory factor and monocyte chemoattractant protein-1 in patients with diabetic retinopathy A. Tashimo, Y. Mitamura, S. Nagai, Y. Nakamura, K. Ohtsuka, Y. Mizue, J. Nishibira
- 1298 Effect of insulin treatment on the body composition of Type 2 diabetic patients A. Sallé, G. Guilloteau, M. Ryan, B. Bouhanick, P. Ritz
- 1304 Early parasympathetic neuropathy associated with elevated fasting plasma C-peptide concentrations and late parasympathetic neuropathy with hyperglycaemia and other microvascular complications A. Gottsäter, M. Kangro, G. Sundkvist

- 1310 Studies of the Ala/Val98 polymorphism of the hepatocyte nuclear factor-1 α gene and the relationship to β -cell function during an OGTT in glucose-tolerant women with and without previous gestational diabetes mellitus
J. Lauenborg, P. Damm, J. Ek, C. Glümer, T. Jørgensen, K. Borch-Johnsen, H. Vestergaard, P. Hornnes, O. Pedersen, T. Hansen
- 1316 Exploring the idiotypes of insulin antibodies as markers for remission in Type 1 diabetes
D. Devendra, T. S. Galloway, S. J. Horton, T. J. Wilkin
- 1325 Aldose reductase gene polymorphisms and susceptibility to microvascular complications in Type 2 diabetes
K. Sivenius, L. Niskanen, R. Voutilainen-Kaumisto, M. Laakso, M. Uusitupa
- 1334 Erythromelia, or Mitchell's syndrome – new names for unexplained signs of inflammation in distal symmetrical neuropathy in diabetes
W. J. Jeffcoate, I. Idris, F. L. Game
- 1339 Association of simple anthropometric measures of obesity with visceral fat and the metabolic syndrome in male Caucasian and Indo-Asian subjects
G. Valsamakis, R. Chetty, A. Anwar, A. K. Banerjee, A. Barnett, S. Kumar
- 1346 Oxidative stress and glucose levels in a population-based sample
V. Menon, M. Ram, J. Dorn, D. Armstrong, P. Muti, J. L. Freudenheim, R. Browne, H. Schunemann, M. Trevisan

Epidemiology

- 1353 Prevalence of Diabetic Eye disease in Tayside, Scotland (P-DETS) Study: methodology
J. D. Ellis, G. Leese, R. McAlpine, A. Cole, C. J. MacEwen, P. S. Baines, I. Crombie, A. D. Morris for the DARTS/MEMO Collaboration

Clinical practice

- 1357 Evaluation of delivery of enhanced diabetes care to patients of South Asian ethnicity: the United Kingdom Asian Diabetes Study (UKADS)
J. P. O'Hare, N. T. Raymond, S. Mughal, L. Dodd, W. Hanif, Y. Ahmad, K. Mishra, A. Jones, S. Kumar, A. Szczepura, E. W. Hillhouse, A. H. Barnett on behalf of the UKADS study group

Case report

- 1366 Reversible cognitive deterioration after a single episode of severe hypoglycaemia: a case report
T. Kubiak, B. Kubr, D. Inselmann, N. Hermanns, B. Kulzer, T. Haak

Short report

- 1368 Changing aspirin use in patients with Type 2 diabetes in the UKPDS
C. A. Cull, H. A. W. Neil, R. R. Holman

Letters

- 1372 The cost-effectiveness of continuous subcutaneous insulin infusion compared with multiple daily injections for the management of diabetes: response to Schuffman and Carr
A. J. Palmer, S. Roze, W. J. Valentine, G. Spinas
- 1372 Reply
P. A. Scuffham, L. Carr
- 1373 Re: post-prandial hypoglycaemia due to insulin lispro or insulin aspart
A. C. Felix Burden

- 1374 DM Diary

- 1375 List of Reviewers 2004

- 1379 Indexes

